



Gepard 5.1

Mission

The Gepard 5.1 ocean-going patrol ship (on the base of Project 11661) is designed to engage surface, underwater and air targets, perform escort and patrol tasks, provide fire support to amphibious assault forces, plant minefields, guard maritime state borders and Exclusive Economic Zones, support naval operations, hoist state flag in the areas of national interests, protect sea environment and rescue distressed ships. The ship can carry out a wide range of missions independently or as part of a naval task force.

Armament & Equipment

Artillery weapons

- 76.2mm AK-176M artillery gun mount;
- 30mm six-barrel AK-630M gun mount;
- the shipborne artillery systems are controlled by Laska fire control radar and SP-521 Rakurs system or Palma-SU fire control system;
- two 14.5mm naval machine gun mounts.

Mines and ASW equipment

The ship carries mines to counter hostile warships.

Electronic equipment

- Pozitiv-ME1 air/surface target acquisition radar;
- 67R IFF suite;
- Podzagolovok-23 mutual interference avoidance system;
- Sigma-E combat information management system.

Navigation equipment

- LI2-1ME log;
- NEL-20K navigation echo sounder;
- Ogon-50 IR night group navigation system;
- KM115-07 magnetic compass;
- MS-98 weather radar;
- Morena-1 weather data receiver.

Communications equipment

- Rubin-EG2 automated communication system;
- VHF radiotelephone station;



- internal voice announcement system
- visual communications equipment, comprising optical devices, searchlights, pyrotechnic means, code flags and figures, etc.

Aviation support assets

- ASW helicopter;
- hangar;
- helipad and maintenance equipment.

The ship carries a Ka-27PS helicopter in search-and-rescue configuration in peacetime, and an ASW version in wartime.

Main propulsion plant

Gepard 5.1 is powered by a two-shaft CODAD propulsion plant with variable-pitch propellers, comprising four 3,455 kW (4,700 hp) diesels, or two 4,775 kW (6,494 hp) and two 2,425 kW (3,298 hp) diesels, two reduction gears and localized control and protection system.

The electric power is supplied by four automated 420 kW diesel generators and an auxiliary boiler unit with a steam capacity of 750 kg/h and a working pressure of 5Mpa (0.5kgf/cm²).

Características básicas:

- Displacement, full load, t: about 2000
- Basic dimensions (length x beam x draft), m: 102,2 x 13,1 x 3,5
- Speed, kts:
 - max: about 25
 - cruising: 18
- Operational range, at economical speed (10 knots), n.m.: about 4500
- Seaworthiness, sea point:
 - stay at sea: unlimited
 - weapons employment: 5
- Main propulsion plant: twin-shaft CODAD
- Main propulsion plant, power, kW: 4 x 3,455(2 x 4,775) 2 x 2,425
- Endurance, days: not less than 30
- Complement: 79



РОСОБОРОНЭКСПОРТ

Акционерное общество



АО «Рособоронэкспорт» – единственная в России государственная организация по экспорту всего спектра продукции, услуг и технологий военного и двойного назначения. Входит в Госкорпорацию Ростех. «Рособоронэкспорт» образован 4 ноября 2000 года и является одним из лидеров мирового рынка вооружений. На долю компании приходится более 85% экспорта российских вооружения и военной техники. «Рособоронэкспорт» взаимодействует с более чем 700 предприятиями и организациями оборонно-промышленного комплекса России. География военно-технического сотрудничества России – более 70 стран.

Российская Федерация,
107076, г.Москва, ул Стромынка, 27,
АО «РОСОБОРОНЭКСПОРТ», Пресс-служба

Тел.: +7 (495) 534 61 83;

Факс: +7 (495) 534 61 53

www.roe.ru

