



Sani

The 120mm carrier mortar is designed to engage manpower located in the open or in field shelters, fire means, and light-armored targets in the near tactical area.

The Sani mortar system includes the 120mm 2B11 mortar, 2L81 wheeled carriage and 2F510 transport vehicle.

Main characteristics:

- Weight, kg:
 - in action position: 230
 - travelling position (with wheeled carriage): 360
- Crew: 5
- Firing range, m:
 - max: 7100
 - min: 480
- Rate of aimed fire, rds/min: ≤ 10
- Traverse, deg:
 - on bipod: ± 5
 - by moving bipod: 360
- Elevation angle, deg: 45 to 80
- Time to change over from travelling to firing position and vice versa, min: ≤ 3





ROSOBORONEXPORT
Russian Defence Export

услуг и технологий военного и двойного назначения. Входит в Госкорпорацию Ростех. «Рособоронэкспорт» образован 4 ноября 2000 года и является одним из лидеров мирового рынка вооружений. На долю компании приходится более 85% экспорта российских вооружения и военной техники. «Рособоронэкспорт» взаимодействует с более чем 700 предприятиями и организациями оборонно-промышленного комплекса России. География военно-технического сотрудничества России – более 70 стран.

Российская Федерация,
107076, г.Москва, ул Стромынка, 27,
АО «РОСОБОРОНЭКСПОРТ», Пресс-служба
Тел.: +7 (495) 534 61 83;
Факс: +7 (495) 534 61 53
www.roe.ru

